

# POST-CARE

## DIOLAZE-HAIR REDUCTION

**PLEASE FOLLOW THESE INSTRUCTIONS TO MAXIMIZE RESULTS, AND MINIMIZE THE CHANCES OF SIDE EFFECTS FROM LASER HAIR REDUCTION:**

### **AFTERCARE**

- *BEFORE DISCHARGE A TOPICAL ANTI-MICROBIAL MIST AND RESTORATIVE SERUM MAY BE APPLIED TO THE AREA TREATED. WE RECOMMEND THIS PRODUCT AS AFTERCARE TO HELP CALM ANY IRRITATION. IT CAN BE PURCHASED TO TAKE HOME.*
- *THERE ARE NO RESTRICTIONS ON BATHING EXCEPT TO TREAT THE SKIN GENTLY, AVOID SCRUBBING OR TRAUMA TO THE TREATED AREA.*
- *AVOID EXFOLIATION, SHAVING, AND IRRITANTS UNTIL ALL REDNESS AND SWELLING HAS SUBSIDED*
- *AVOID SUN EXPOSURE TO REDUCE THE CHANCE OF HYPERPIGMENTATION.*
- *PLEASE USE A ZINC OXIDE SUN BLOCK SPF 30+ AT ALL TIMES AFTER 24-48 HOURS.*
- *AVOID SWEATING UNTIL ALL REDNESS AND SWELLING HAS SUBSIDED*
- *MULTIPLE TREATMENTS OVER A PERIOD OF SEVERAL MONTHS MAY BE REQUIRED TO ACHIEVE THE DESIRED RESULTS.*

### **COMMON SIDE EFFECTS**

- *IMMEDIATELY AFTER TREATMENT, MOST PATIENTS WILL EXPERIENCE ERYTHEMA (REDNESS) FOR 1-3 DAYS, HOWEVER FOR MORE AGGRESSIVE TREATMENTS THIS MAY LAST LONGER. SLIGHT TO MODERATE EDEMA (SWELLING) AND A MILD TO MODERATE SUNBURN SENSATION ARE ALSO COMMON POST TREATMENT AND MAY LAST 1-3 DAYS.*
- *PLEASE CONTACT YOUR PROVIDER IF ANY SCABBY AREAS, HYPOPIGMENTATION, OR HYPERPIGMENTATION OCCUR.*

**QUESTIONS? CALL (470) 272-8730 OR TEXT  
(706) 696-8879**