

POST-CARE

VASCULAZE

PLEASE FOLLOW THESE INSTRUCTIONS TO MAXIMIZE RESULTS, AND MINIMIZE THE CHANCES OF SIDE EFFECTS FROM VASCULAZE:

AFTERCARE

- BEFORE DISCHARGE A TOPICAL ANTI-MICROBIAL MIST AND RESTORATIVE SERUM MAY BE APPLIED TO THE AREA TREATED. WE RECOMMEND THIS PRODUCT AS AFTERCARE TO HELP CALM ANY IRRITATION. IT CAN BE PURCHASED TO TAKE HOME.
- THERE ARE NO RESTRICTIONS ON BATHING EXCEPT TO TREAT THE SKIN GENTLY, AVOID SCRUBBING OR TRAUMA TO THE TREATED AREA.
- AVOID EXFOLIATION, SHAVING, AND IRRITANTS UNTIL ALL REDNESS AND SWELLING HAS SUBSIDED
- AVOID SUN EXPOSURE TO REDUCE THE CHANCE OF HYPERPIGMENTATION.
- PLEASE USE A ZINC OXIDE SUN BLOCK SPF 30+ AT ALL TIMES AFTER 24-48 HOURS.
- MAKEUP MAY BE APPLIED IMMEDIATELY AFTER TREATMENT. PLEASE USE CLEAN MAKEUP APPLICATORS.
- MULTIPLE TREATMENTS OVER A PERIOD OF SEVERAL MONTHS MAY BE REQUIRED TO ACHIEVE THE DESIRED RESULTS.

COMMON SIDE EFFECTS

- IMMEDIATELY AFTER TREATMENT, MOST PATIENTS WILL EXPERIENCE ERYTHEMA (REDNESS) FOR 1-3 DAYS, HOWEVER FOR MORE AGGRESSIVE TREATMENTS THIS MAY LAST LONGER. SLIGHT TO MODERATE EDEMA (SWELLING) AND A MILD TO MODERATE SUNBURN SENSATION ARE ALSO COMMON POST TREATMENT AND MAY LAST 1-3 DAYS.
- VASCULAR LESIONS AND SPIDER VEINS THAT HAVE BEEN TREATED MAY APPEAR DARKER, OR HAVE A BRUISE LIKE APPEARANCE. THIS IS NORMAL AND SHOULD FADE BY THE NEXT TREATMENT.
- PLEASE CONTACT YOUR PROVIDER IF ANY SCABBY AREAS, HYPOPIGMENTATION, OR HYPERPIGMENTATION OCCUR.

QUESTIONS? CALL (470) 272-8730 OR TEXT
(706) 696-8879